

1ST QUALITY STOCK LENSES
BLUEGUARD+ AR Lenses now available in...

- 1.56
- Polycarbonate
- 1.67 HiIndex

Unbeatable Prices

Quick Turn Around Time

Large Inventory

Free Ground Shipping

on Web Lens Orders > \$70*

World Class Brands

Newly Expanded Ranges!



INDEPENDENT FAMILY OWNED & OPERATED
SERVING THE INDUSTRY FOR MORE THAN 80 YEARS



170 LeGrand Ave
Northvale, NJ 07647
PHONE: (800) 822.4343
FAX: (800) 627.7280



9025 NW 13th Ter. #2
Doral, FL 33172
PHONE: (844) 822.7521
FAX: (844) 822.7523



4650 Ratliff Lane.
Addison, TX 75001
PHONE: (833) 372.0098
FAX: (833) 372.0031



16128 Cohasset St.
Van Nuys, CA 91406
PHONE: (855) 589.5367
FAX: (877) 229.3862



FREE GROUND SHIPPING ON LENS ORDERS MORE THAN \$70 PLACED ONLINE @ WWW.LAB-TECH.NET



*on lens orders only, not including frames or cases. Certain restrictions apply.

Plastic		Pair
Labco CR39 - 65mm	(L06)	+0.25 to +6.00 / Cyl to -2.00
Labco CR39 Peak AR - 65mm	(L07)	+0.25 to +6.00 / Cyl to -2.00
Labco CR39 Sync AR - Super Hydrophobic - 65mm	(L08)	-6.25 to +6.00 / Cyl to -2.00
Labco CR39 - 70mm	(L06,L26+)	+6.00 to -6.00 / Cyl to -2.00
Labco CR39 - 70mm - Extended Range	(L06,L26+)	+3.00 to -3.00 / Cyl to -2.00 +6.00 to -8.00 / Cyl -2.25 to -3.00
Labco CR39 Peak AR - 70mm	(L07,L30+)	+6.00 to -6.00 / Cyl to -2.00
Labco CR39 Peak AR - 70mm - Extended Range	(L07,L30+)	-6.25 to -8.00 / Cyl to -2.00 +6.00 to -8.00 / Cyl -2.25 to -3.00
Labco CR39 Sync AR - Super Hydrophobic - 70mm	(L08,L78+)	+6.00 to -6.00 / Cyl to -2.00
Labco CR39 Sync AR - Extended Range - 70mm	(L08,L78+)	-6.25 to -8.00 / Cyl to -2.00 +6.00 to -8.00 / Cyl -2.25 to -3.00
Labco CR39 - HC Tintable - 65/70mm	(L18)	+6.00 to -6.00 / Cyl to -2.00
Labco CR39 - 75mm	(L28)	+4.00 to -6.00 / Cyl to -2.00
Labco CR39 - 60mm	(L10)	+2.00 to +6.00 / Cyl to -2.00
Labco CR39 Grey 85% Tinted - 65/70mm	(L47)	+3.00 to -4.00 / Cyl to -2.00
Polycarbonate		Pair
Aerial Poly Spheric Fast Tint - 65/70mm	(L01)	+6.00 to -8.00 / Cyl to -2.00
Aerial Poly Spheric Fast Tint - 65mm - Extended Range	(L01)	-6.25 to -8.00 / Cyl to -2.00 +6.00 to -8.00 / Cyl -2.25 to -3.00
Aerial Poly Spheric Peak AR - 65/70mm	(L02)	+6.00 to -8.00 / Cyl to -2.00
Aerial Poly Spheric Peak AR - 65mm - Extended Range	(L02)	-6.25 to -8.00 / Cyl to -2.00 +6.00 to -8.00 / Cyl -2.25 to -3.00
Aerial Poly Spheric Sync AR - Super Hydrophobic - 65/70mm	(L33)	+6.00 to -8.00 / Cyl to -2.00
Aerial Poly Spheric Sync AR - Super Hydrophobic - 65mm - Extended Range	(L33)	-6.25 to -8.00 / Cyl to -2.00 +6.00 to -8.00 / Cyl -2.25 to -3.00
Aerial Poly Spheric Supreme AR+ - Super Hydro/Oleophobic -65/70mm	(L37)	+4.00 to -6.00 / Cyl to -2.00
Aerial Poly Spheric BlueGuard AR+ - 65/70mm	(L43)	+4.00 to -6.00 / Cyl to -3.00
Aerial Poly Aspheric - 70mm	(L31)	+0.25 to +4.00 / Cyl to -2.00
Aerial Poly Aspheric Sync AR - Super Hydrophobic - 70mm	(L40)	+0.25 to +4.00 / Cyl to -2.00
Aerial Poly Aspheric Fast Tint - 65/70/75mm	(L03)	+4.00 to -6.00 / Cyl to -2.00
Aerial Poly Aspheric Fast Tint - 65/70/75mm - Extended Range	(L03)	+4.25 to +6.00 / Cyl to -2.00 +4.00 to -6.00 / Cyl -2.25 to -3.00 +4.00 to -4.00 / Cyl -3.25 to -4.00
Aerial Poly Aspheric Sync AR Super Hydrophobic - 65/70/75mm	(L04)	+4.00 to -8.00 / Cyl to -2.00
Aerial Poly Aspheric Sync AR Super Hydrophobic - 65/70/75mm Extended Range	(L04)	+4.25 to +6.00 / Cyl to -2.00 +4.00 to -6.00 / Cyl -2.25 to -3.00 +4.00 to -4.00 / Cyl -3.25 to -4.00
Vision Ease Continua FSV Tintable - 65/75mm	(V02)	+4.00 to -8.00 / Cyl to -2.00
Vision Ease Continua Industrial 2.0 - 70/75mm (special order)	(V04)	+3.00 to -6.00 / Cyl to -2.00
Vision Ease Vela Premium AR - 65/73mm (special order)	(V03)	+4.00 to -6.00 / Cyl to -2.00
Seiko Poly Fast Tint - 68/72mm	(S01)	+3.00 to -6.00 / Cyl to -2.00
Seiko Poly ECP AR - 68/72mm	(S06)	+3.00 to -6.00 / Cyl to -2.00
Hi Index		Pair
Hi Line 1.56 HC - 65/70mm	(L11)	PL to -8.00 / Cyl to -3.00 PL to -6.00 / Cyl -3.25 to -4.00 +0.25 to +6.00 / Cyl to -2.00
Hi Line 1.56 Peak AR - 65mm	(L27)	+6.00 to -6.00 / Cyl to -2.00 +4.00 to -4.00 / Cyl -2.25 to -3.00
Hi Line 1.60 HC - 70mm	(L12)	-2.25 to -8.00 / Cyl to -2.00
Hi Line 1.60 Sync AR - Super Hydrophobic - 75mm	(L13)	-2.25 to -10.00 Sph -2.25 to -8.00 / Cyl to -2.00
Hi Line 1.67 Aspheric - 65/75-70mm	(L14)	Spheres: Pl to -15.00 (half steps after -12.00) Pl to -10.00 / Cyl to -4.00 -10.25 to -12.00 / Cyl to -2.00 +1.50 to +6.00 / Cyl to -2.00
Hi Line 1.67 Aspheric Sync AR - Super Hydrophobic - 65/75-70mm	(L15)	Spheres: Pl to -15.00 (half steps after -12.00) Pl to -10.00 / Cyl to -4.00 -10.25 to -12.00 / Cyl to -2.00 +1.50 to +6.00 / Cyl to -3.00
Hi Line 1.67 BlueGuard AR+	(L46)	PL to -10.00 / Cyl to -2.00
Hi Line 1.74 Aspheric Sync AR - Super Hydrophobic - 75/70mm	(L16)	Spheres: -2.25 to -15.00 (half steps after -13.00) -2.25 to -10.00 / Cyl to -4.00 -10.25 to -12.00 / Cyl to -2.00

Photochromic			Pair
Aerial Poly Photochromic Gray - 65/70mm	(L44)	+4.00 to -6.00 / Cyl to -2.00	
Aerial Poly Photochromic Gray Peak AR - 65/70mm	(L45)	+6.00 to -6.00 / Cyl to -2.00	
Aerial Poly Photochromic Gray Peak AR - 65/70mm - Extended Range	(L45)	-6.25 to -8.00 / Cyl to -2.00 +6.00 to -8.00 / Cyl -2.25 to -3.00	
1.56 Photo Line Gray HC - 65/70mm	(L36)	+4.00 to -6.00 / Cyl to -2.00	
1.56 Photo Line Gray HC - 65/70mm Extended Range	(L36)	+3.00 to -3.00 / Cyl -2.25 to -4.00	
1.56 Photo Line Gray Sync AR - 65/70mm	(L34)	+4.00 to -6.00 / Cyl to -2.00	
1.56 Photo Line Gray Sync AR - 65/70mm Extended Range	(L34)	+4.00 to -6.00 / Cyl -2.25 to -4.00	
1.56 Photo Line Gray Progressive Sync AR - MFH 14mm	(L35)	+3.00 to -2.00 Add +1.00 to +3.00	
1.67 Photo Line Gray Sync AR	(L41)	Pl to -8.00 / Cyl to -3.00 -8.25 to -10.00 / Cyl to -2.00	
Younger CR39 Transitions Gray & Brown - 65/70mm (brown special order)	(Y11 & Y12)	+3.00 to -4.00 / Cyl to -2.00 *not to exceed a max combined power of 4.00	
Younger CR39 Transitions Gray & Brown AR - 65/70mm (brown special order)	(Y13 & Y14)	+3.00 to -4.00 / Cyl to -2.00 *not to exceed a max combined power of 4.00	
Younger Poly Transitions Gray & Brown HC - 65/70mm (brown special order)	(Y15 & Y16)	+3.00 to -6.00 / Cyl to -2.00 *not to exceed a max combined power of 6.00	
Younger Poly Transitions Gray AR - 65/70mm (brown special order)	(Y17 & Y18)	+3.00 to -6.00 / Cyl to -2.00 *not to exceed a max combined power of 6.00	
Younger Poly Transitions XTRActive Gray & Brown - 65/70mm (brown special order)	(Y20 & Y21)	+4.00 to -6.00 / Cyl to -2.00 *not to exceed a max combined power of 6.00	
Seiko 1.67 Asph Transitions Gray HC - 80/75mm	(H11)	-2.00 to -8.00 / Cyl to -2.00	
Seiko 1.67 Asph Transitions Gray & Brown AR - 80/75mm (brown special order)	(H05 & H06)	-2.00 to -8.00 / Cyl to -2.00	
Multifocal			Pair
SightLine CR39 Flat Top 28 - 68mm	(L17)	+3.00 to -2.00 Add +1.00 to +3.00	
SightLine POLY Flat Top 28 - 70mm	(L23)	Pl to +3.00 / Add +1.00 to +3.00	
1.56 Flat Top 28 Photochromic Gray - 70mm Peak AR	(L48)	Pl to +3.00 / Add +1.00 to +3.00	
Labco CR39 Progressive - MFH 17mm / 68mm	(L24)	+3.00 to -2.00 Add +1.00 to +3.00	
Labco CR39 Progressive Short - MFH 14mm / 68mm	(L25)	Pl to +3.00 / Add +1.00 to +3.00	
Labco CR39 Progressive Peak AR - MFH 17mm / 68mm	(L32)	+3.00 to -2.00 Add +1.00 to +3.00	
SightLine POLY Progressive Sync AR - MFH 17mm / 70mm	(L42)	+3.00 to -2.00 Add +1.00 to +3.00	
1.56 Photo Line Gray Progressive Sync AR - MFH 20mm	(L35)	+3.00 to -2.00 Add +1.00 to +3.00	
Plano SunLine			Pair
CR39 Solid - G15 / Gray #3 / Brown #3 / Driver - 71mm Gradient - Gray / Brown	(L20)	6 Base	
		8 Base	
CR39 Polarized - G15 / Gray #3 / Brown #3 / Driver - 75mm	(L20)	6 Base	
		8 Base	
Poly Solid - G15 / Gray #3 / Brown #3 / Driver - 72mm Gradient - Gray / Brown	(L19)	6 Base	
		8 Base	
Poly Polarized - G15 / Gray #3 / Brown #3 / Driver - 70mm	(L19)	6 Base	
		8 Base	
Poly Flash Mirror Polarized - G15 Base - 80mm Green, Gold, Blue, Pink, Purple, Red, Silver	(L38)	6 Base	
Trivex			Pair
Younger Trilogy HC Tintable - 65/70mm	(Y01)	+6.00 to -8.00 / Cyl to -2.00	
Younger Trilogy HC AR - 65/70mm	(Y02)	+6.00 to -8.00 / Cyl to -2.00	
Blue Light Protection			Pair
HiLine 1.56 BlueGuard+ AR	(L50)	+4.00 to -6.00 / Cyl to -3.00	
Aerial Poly Spheric BlueGuard+ AR - 65/70mm	(L43)	+4.00 to -6.00 / Cyl to -3.00	
Hi Line 1.67 BlueGuard+ AR	(L46)	PL to -10.00 / Cyl to -2.00	

LAB TECH INC. - TERMS & CONDITIONS

Published prices are subject to change without notice.

SALES TERMS

Full payment of your invoices is due 10 days from the end of month. A 2% service charge (24% per annum) will be added on all past due balances. There will be a \$45.00 charge for all checks returned as a result of insufficient funds.

RETURNS

All returns must be accompanied by the original invoice within 30 days of shipment. Restocking charges may apply to merchandise accepted without invoices. Freight for all returns must be prepaid and insured by the customer. Edged or tinted lenses cannot be returned unless covered by a warranty. For

your protection please check all lens powers prior to edging.

CLAIMS

All billing errors must be reported within seven (7) days of invoice data.

SCRATCH COAT & ANTI-REFLECTION WARRANTIES

Warranted for one year with a one time replacement only. Lenses will be replaced with a similar product in the same Rx. Warranted lenses are limited to: Labco CR39 Sync AR, Aerial Poly Aspheric Sync AR, Hi Line 1.60 Sync AR, Hi Line 1.67 Sync AR, Hi Line 1.74 Sync AR, Vella Poly AR, all Transitions, all Trivex.



EDGING PADS MADE IN THE USA

SecurEdge™

Unique design for standard coated lenses. Three piece pad construction resists twisting during the edging process.



24mm Round w/hole



17 x 36mm Oval Solid



20.5 x 29mm Half eye w/hole



17 x 27mm Half eye solid



18 x 22mm Round half eye w/hole


Red Dynamite

Unique adhesive designed for AR and non AR coated lenses, providing great ad-hesion with easy removal. Pad construction resists torque and slippage.

Blue

High quality material with excellent adhesive reduces slippage at an economic price.

Material	24mm	17 x 36mm	20.5 x 29mm	17 x 27mm	18 x 22mm
SureLock / 1000	LT-SL24	LT-SL17	—	—	LT-SL18
ScurEdge /1000	LT-SE24	LT-SE17	—	LT-SE17H	LT-SE18
Red / 1000	LT-R24	LT-R17	LT-R20	—	LT-R18
Blue / 1000	LT-B24	LT-B17	LT-B20	—	LT-B18



#LT-BL70 Blue Lens Protector
70mm. Blue, Round. High quality material with excellent adhesive reduces torque and slippage to protect lenses from scratching during edging and manual roll and polish.



#LT-LP39NCL Lens Protector Clear
39mm. Clear, Round. Economic material with excellent adhesive reduces torque and slippage to protect lenses from scratching during edging.



#LT-LP35NBL Lens Protector Blue
35mm. Blue, Round w/ Tab. High quality material with excellent adhesive reduces torque and slippage to protect lenses from scratching during edging.



#LT-CP20NBL Back Side Chock Pads
20x30mm. Blue Solid, Ovular. Designed to reduce lens coatings cracking and crazing. This pad reduces slippage by absorbing chuck pressure.



#LT-AS40HSN SlipNot Anti-Slip Pads
22x40mm. Clear, Rectangular. Designed to be used on all coatings, including super-hydro. Transparent design allows lens markings to be visible. Ideal adhesion to slick coatings eliminates slippage.



#LT-AS30NNS Anti-Slip Pads
30x40mm. Clear, Ovular. Designed to be used on all coatings, including super-hydro. Ideal adhesion to slick coatings eliminates slippage.



#LT-SP25FXN Frixion Anti-Slip Overcoat Spray
25ml. Fast & Easy application and premium anti-slip solution, greatly reduces torque and slippage to protect lenses from breakage during finishing. Easy wipe-off removal. Improves performance of all pads.



Neutralizer
#TSNU32/#TS-NUG



AR Stripper
#TS-STRIP



Heat Transfer Fluid (HTF)
#TS-HTF32/#TS-HTFG



Scratch Coating
#TS-SC



Easy off
#TS-EO8/#TS-EO16



Lens Prep

ORDER ONLINE AND SAVE TIME @ WWW.LAB-TECH.NET

*Prices effective February 1, 2022. Subject to change without notice. Frames, cases & cloths not available through LTNJ.